

Defaults for VSE/ESA

This subsection covers the following topics:

- Invoking the Defaults for VSE/ESA Screen
- Field Descriptions: Defaults for VSE/ESA

Invoking the Defaults for VSE/ESA Screen

If you select VSE/ESA from the window, the following screen appears:

20.11.01	*** Entire Operations ***	17:23:40
Owner EXAMPLE	Defaults for VSE/ESA	

End-of-Job Checking		
These values apply, if nothing is specified for the End-of-Job Checking:		
Highest	Condition Code accepted as ok ==> C 0008	
= highest	Severity Code (see field help)	
Highest	User Code accepted as ok ==> U 0000	
End-of-Job Actions		
Spool Class to be set after Job Completion ==> _		
JCL Location VSE/ESA		
Default Member Type ==> J_____		
Escapes: Activation ==> § Submission ==> #		
Note: Modifications become effective at the next monitor startup.		
Command => _____		
Enter-PF1---	PF2---PF3---	PF4---PF5---
PF6---	PF7---	PF8---
PF9---	PF10---	PF11---
PF12---		
Help	End	Save
		Menu

Field Descriptions: Defaults for VSE/ESA

Field	Meaning
End-of-Job Checking	
These three values are used for checking completed jobs if no definition has been made on the job level :	
Highest Condition Code	The value entered here is used for default checks of all step results for which no dedicated check has been defined. If this result is higher than the value defined here, the job is treated as NOT OK.
= highest Severity Code	This value is the maximum allowed severity code for messages matching the Global Message Code Table. If a message is defined there without a severity code, a match always means job NOT OK.
Highest User Code	As for Highest Condition Code, above.
End-of-Job Actions:	
Spool Class to be set after Job Completion ?	<p>You can specify that the spool class of a job is to be modified after completion. This applies to all jobs. Job-specific definitions override this default.</p> <p>When you enter a valid spool class in this field, Entire Output Management knows exactly where to find all information necessary for the output files to be processed.</p> <p>If you leave this field blank, the job output class remains unchanged. For more information, see the subsection Passing Files to Entire Output Management in the section End-of-Job Checking and Actions of the Entire Operations User's Guide.</p>
JCL Location VSE/ESA:	
Default Member Type	The default member type is inserted into JCL definitions, if nothing else is specified.
Escapes:	
Activation	Activation escape character. This escape character is prefix for Natural code lines and symbols to be replaced at activation time.
	<p>Note:</p> <p>Existing Dynamic JCL might become invalid after changing this escape character.</p>
Submission	Submission escape character. This escape character is prefix for symbols to be replaced at submission time.
	<p>Note:</p> <p>Existing Dynamic JCL might become invalid after changing this escape character.</p>

These settings become effective after the next Monitor startup and are then used as defaults for new job definitions.